CONTRACT SPECIALTY

BOTTOM UP ROLLER SHADE

AC Powered Motorized Control

The OpenLight Contract Bottom Up Shading System is an innovative system, perfect for ground floor or office applications where privacy and light harvesting are required. Bottom Up shades let the natural light in from the top of the window while shading the bottom section for privacy and solar control. Utilizing OpenLight Contract manual or motorized / automated systems combined with an innovative self-levelling hem bar adjusting system which limits service calls and ensures a long, trouble free life of the system.

FEATURES

- RTS Radio and Wired Mechanical Limit wired communication options to interface with popular motor controller options
- Standard AC hardwired and AC transformer powering options available.
- Newly designed Heavy Duty Idler assembly consists of Teflon and glass filled nylon to eliminate noise and resist wear and tear for the life of the shading system.
- Powder coated steel box brackets 1/16" thick
- Wall mounted, desktop and stylish handheld controls available
- Optional integration with many popular automation systems.

## CONTROL OPTIONS

myLink/ Smart Phone

Remote Controls

Sun Sensor

BRACKET COLOURS

| white | vanilla | gray | bronze | black |

OpenLight SHADES

FRONT & SIDE VIEW

[3.29in]
84mm

[2.69in]
68mm

[2.76in]
Ø 70mm
Max Roll

[2.85in]
72mm

[3.46in]
88mm

[0.61in]
16mm

[0.85in]
22mm

SCHEMATIC

MOTOR CAP

DISC ADAPTOR

CHARGER

MOTOR

CROWN & DRIVE

BRACKET & END CAP

TUBE

TUBE SPOOL

PIN END

FASCIA

BRAIDED
CORD

BRAIDED
CORD

CORD GUIDE
KIT

BOTTOM UP RAIL

BOTTOM UP
RAIL END

BOTTOM UP RAIL

FLAT SPLINE

BRACKET & END CAP

CHAINFREE
CONTROL

ADAPTER KIT

BRACKET & END CAP

PIN END

TUBE

FASCIA

UNIVERSAL BOOSTER

LOW VOC

NRC

LEED

HPD

BOTTOM RAIL OPTIONS

Bottom Up Rail

[0.53in]
14mm

[1.54in]
39mm

SYSTEM UPGRADES

5" Pocket
[for hidden recess mounts]

L & I Clips
[for hidden recess mounts]

Edge Side Channels
[for improved light blockout]

Match this solution with any of our sunscreen, blockout or high performance fabrics for a complete finished solution.
See our document library for comprehensive information including HPD, LEED & NRC specifications.

OpenLight
SHADES

CONTRACT SPECIALTY
BOTTOM UP ROLLER SHADE
Low Voltage 12V / Solar / Li-ion Battery

The OpenLight Contract Bottom Up Shading System is an innovative system, perfect for ground floor or office applications where privacy and light harvesting are required. Bottom Up shades let the natural light in from the top of the window while shading the bottom section for privacy and solar control. Utilizing OpenLight Contract manual or motorized / automated systems combined with an innovative self-levelling hem bar adjusting system which limits service calls and ensures a long, trouble free life of the system.

FEATURES

- Optional Solar Panel provides permanent net-zero, off grid charging option in a discrete and efficient package with multiple mounting options
- Internal Li-ion rechargeable battery will provide 500+ complete rotation cycles before recharging is required.
- Low voltage wired power panel and transformer options available to compliment most low voltage wiring scenarios.
- Newly designed Heavy Duty Idler assembly consists of Teflon and glass filled nylon to eliminate noise and resist wear and tear for the life of the shading system.
- Powder coated steel box brackets 1/16" thick
- Wall mounted, desktop and stylish handheld controls available
- Optional integration with many popular automation systems

BRACKET COLOURS

white   vanilla   gray   bronze   black

CONTROL OPTIONS

myLink/ Smart Phone

Solar panel

Remote Controls

Sun Sensor

OpenLight
SHADES

FRONT & SIDE VIEW

[3.29in] 84mm
[2.69in] 68mm
[2.76in] Ø 70mm Max Roll
[2.85in] 72mm
[3.46in] 88mm

[0.61in] 16mm
[0.85in] 22mm

SCHEMATIC

MOTOR CAP
DISC ADAPTOR
MOTOR
CROWN & DRIVE
BRACKET & END CAP
TUBE
TUBE SPOOL
PIN END
BRAIDED CORD
FASCIA
BRAIDED CORD
BRAIDED CORD
CORD GUIDE KIT
BOTTOM UP RAIL
BOTTOM UP RAIL END CAPS
FLAT SPLINE
BRACKET & END CAP
CHAINFREE CONTROL
ADAPTER KIT
BRACKET & END CAP
BRACKET & END CAP
PIN END
TUBE
FASCIA
UNIVERSAL BOOSTER

BOTTOM RAIL OPTIONS

Bottom Up Rail

[0.53in] 14mm
[1.54in] 39mm

SYSTEM UPGRADES

5" Pocket
[for hidden recess mounts]

L & I Clips
[for hidden recess mounts]

Edge Side Channels
[for improved light blockout]

LOW VOC   NRC   LEED   HPD

Match this solution with any of our sunscreen, blockout or high performance fabrics for a complete finished solution.
See our document library for comprehensive information including HPD, LEED & NRC specifications.

OpenLight
SHADES